

Lamps with metal bases R10W

Original spare part



The cost-effective original spare parts

ORIGINAL signal lamps with metal bases feature - like all ORIGINAL products from OSRAM - a reliable OEM quality. Due to the wide product range, the lamps can be used as original spare lamps for different applications.

Technical data

Product information

Application (Category and Product specific)	Auxiliary lamp
---	----------------

General Product Information

Global order reference	5008
------------------------	------


Electrical Data

Power input	10 W
Nominal voltage	12.0 V
Nominal wattage	10 W
Test voltage	13.5 V
Power input tolerance	±10 %

Photometric Data

Nominal luminous flux	125 lm
Luminous flux tolerance	±20 %

Physical Attributes & Dimensions



Diameter	19.0 mm
Diameter	19.0 mm
Product weight	5.50 g
Length	37.5 mm
Lamp base	BA15s

Lifetime Data

Lifespan B3	350 hr
Lifespan Tc	800 hr

Product datasheet

Capabilities

Technology	AUX
------------	-----

Certificates & standards

ECE category	R10W
Approval marks – approval	E1 approval

Environmental & Regulatory Information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Primary article identifier	4052899407992 4052899407176 4050300925608 4062172396066 4008321163707 4062172396042 4008321186751 4050300838212 4062172415873 4008321355263
Candidate list substance 1	No declarable substances contained
Declaration no. in SCIP database	No declarable substances contained

Country specific information

Product code	METEL code	SEG number	STK number	UK Org
4050300838212	OSRA5008	8328132	-	-
4050300925608	OSRA5008BLI2	-	4730327	-

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300838212	ORIGINAL - METAL BASE R10W	Unpacked 1	16 mm x 16 mm x 37 mm	0.01 dm ³	6.00 g
4008321095299	ORIGINAL - METAL BASE R10W	Shipping carton box 50	205 mm x 144 mm x 64 mm	1.89 dm ³	402.00 g
4050300925608	ORIGINAL - METAL BASE R10W	Blister 2	95 mm x 70 mm x 18 mm	0.12 dm ³	17.00 g
4008321140425	ORIGINAL - METAL BASE R10W	Shipping carton box 20	189 mm x 80 mm x 103 mm	1.56 dm ³	215.00 g
4062172396066	ORIGINAL - METAL BASE R10W	BLI ECO 2	70 mm x 27 mm x 95 mm	0.18 dm ³	23.00 g
4062172396073	ORIGINAL - METAL BASE R10W	Shipping carton box 20	164 mm x 124 mm x 78 mm	1.59 dm ³	274.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

File	
	User instruction GPRS_Safety symbols instructions
	ref_pim_ams_p_product360degreeimages ORIGINAL R10W 5008

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



OSRAM