

Analog Camera 2Mpx - 1080p, 4 in 1

AC-D202F-DF (2,8mm)



Main Features:

- Image transfer standard : TVI/AHD/CVI/CVBS
- Transducer : 2MP Progressive Scan typu DARK FIGHTER
- Resolution : 1920x1080 / 25 kl/s (PAL)
- Number of pixels : 2Mpx
- Sensitivity : 0.005 lux/F1.2 (AGC ON), 0 lux (IR LED WŁ)
- Lens : 2.8 mm @ F1.4
- Smart IR illuminator with a range of up to 30m
- AES, AGC, DNR
- ICR mechanical infrared filter
- Tightness class : IP67
- Power Supply : 12V DC

Specifications

Basic	
Converter	2Mpx CMOS progressive scan
Video systems supported	AHD, CVI, TVI, CVBS (PAL/NTSC)
Sensitivity	Color : 0.01 Lux @(F1.2, AGC ON), 0 Lux with IR on
Electronic shutter	1/25 (1/30) s to 1/50,000 s
Lens	2.8mm @ F1.2, horyzontalne(poziome) pole widzenia 106°
Lens Mount	Ø12
Day / night mode	IR cut cut-off filter with automatic switching
Installation in 3 axes	Vertical rotation: 0 ° to 360 °, Tilt: 75 °, Rotation: 0 ° to 360 °
Synchronization	Internal
Signal / Noise Ratio	>62dB
Video output	1x 1V p-p, BNC, 75Ω
Picture	
Maximum Resolution	1920 × 1080
Frames and resolution	25 kl/s @ 1920×1080 (1080p) - PAL 30 kl/s @ 1920×1080 (1080p) - NTSC
Picture enhancement functions	AGC,AES,DNR
Other features	
Working temperature & humidity	-40 ° C to 60 ° C (-40 ° F to 140 ° F), humidity: 90% or less (non-condensing)
Power Supply	12 VDC ± 25% / 1x 5.5 / 2.1 socket on the cable
Power consumption	Max. 4.6 W
Tightness class	IP 67
IR Range	Up to 30m
Dimensions	158mm×61mm×58mm (6.42"×2.40"×2.28")
Weight	approx. 240g (0.54lb)

Wymiary:

