

PRODUCT DATASHEET

SPC.T OVEN CL 15 W 230 V E14

SPECIAL OVEN T | Incandescent lamps, tubular shape, for oven lighting



AREAS OF APPLICATION

- Domestic baking ovens

PRODUCT FEATURES

- Ambient temperature: up to 300 °C



TECHNICAL DATA

Electrical data

Nominal wattage	15.00 W
Nominal voltage	230 V
Rated wattage	15.00 W
Power factor λ	1.00



Photometrical data

Luminous flux	85 lm
Nominal luminous flux	85 lm
Rated luminous flux	85 lm
Color temperature	2700 K
Color rendering index Ra	100
Color rendering index Ra	100

Light technical data

Starting time	0.0 s
---------------	-------

Dimensions & weight



E14
IEC 7004-23

Diameter	22.0 mm
Overall length	50.0 mm
Outer bulb	S22
Light center length (LCL)	43.0 mm
Length with base excl. base pins/connection	50.00 mm
Length	50.0 mm

Lifespan

Nominal lamp life time	1000 h
Rated lamp life time	1000 h

Additional product data

Base (standard designation)	E14
Mercury content	0.0 mg
Mercury-free	Yes

Capabilities

Dimmable	Yes
----------	-----

Certificates & standards

Energy efficiency class	E
Energy consumption	15 kWh/1000h

Country-specific categorizations

ILCOS	IBT/C-15-230-E14-22
-------	---------------------

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4050300003108	Folding carton box 1	68 mm x 28 mm x 29 mm	14.00 g	0.06 dm ³
4050300554495	Bundle 10	176 mm x 71 mm x 218 mm	140.00 g	2.72 dm ³
4050300554501	Shipping carton box 100	308 mm x 149 mm x 228 mm	1510.00 g	10.46 dm ³
4050300065052	Blister 1	140 mm x 29 mm x 120 mm	25.87 g	0.49 dm ³
4050300118277	Shipping carton box 10	165 mm x 159 mm x 138 mm	312.00 g	3.62 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.